



LED WORK LIGHT



SHENZHEN IDUN PHOTOELECTRIC TECHNOLOGY CO.,LTD



[www.iduntrucklights.com](http://www.iduntrucklights.com)



**WB4-F2D-10**

Power:10w  
Beam:  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WB5-F2D-10**

Power:10w  
Beam:  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WAA7B-10**

Power:10W  
Beam:Spot/Flood  
Size(LxHxT):53x80x53mm  
(2 inch)  
Number per ctn:100  
Ctn size:43.5x33x38.5cm



**WAF3-15**

Power:15W  
Beam:Spot  
Size(LxHxT):70x92x48mm  
(3 inch)  
Number per ctn:50  
Ctn size:34.5x32x26cm



**WBB8-20**

Power:20W  
Beam:Spot/Flood  
Size(LxHxT):77x45x48mm  
(3 inch)  
Number per ctn:  
Ctn size:



**WBC0-20**

Power:20W  
Beam:Spot  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WBC1-20**

Power:20W  
Beam:Spot  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WDB1-20**

Power:20W  
Beam:Spot  
Size(LxHxT):3 inch  
Number per ctn:  
Ctn size:



**WDB9A**

Power:  
Beam:Hi-Low beam  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WDB9B**

Power:  
Beam:Hi-Low beam  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WDD6-AF**

Power:  
Beam:Spot  
Size(LxHxT):3 inch  
Number per ctn:  
Ctn size:



**WDD7-AF**

Power:  
Beam:Spot  
Size(LxHxT):3 inch  
Number per ctn:  
Ctn size:



**WDD8A-60**

Power:60W  
Beam:  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WDD8B-F4**

Power:  
Beam:  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WDD8C-F5**

Power:  
Beam:  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WDD8D-F6**

Power:  
Beam:  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WDE2-F3D**

Power:  
Beam:Spot  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WDE4-F2**

Power:  
Beam:  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WDE4-F3**

Power:  
Beam:  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WDE7-F**

Power:  
Beam:Spot  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WDF4A**

Power:  
Beam:Spot  
Size(LxHxT):3 inch  
Number per ctn:  
Ctn size:



**WDF4C**

Power:  
Beam:Spot  
Size(LxHxT):3 inch  
Number per ctn:  
Ctn size:



**WDF4I**

Power:  
Beam:Spot  
Size(LxHxT):3 inch  
Number per ctn:  
Ctn size:



**WDF4J**

Power:  
Beam:Spot  
Size(LxHxT):3 inch  
Number per ctn:  
Ctn size:



**WDF4K**

Power:  
Beam:Spot  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WDF5-20**

Power:20W  
Beam:Spot  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WDF9**

Power:  
Beam:Spot  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WDG0**

Power:  
Beam:Spot  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WDG1-30**

Power:30W  
Beam:Spot  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WDG7**

Power:  
Beam:  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WEA6-F**

Power:  
Beam:  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WEB7-F**

Power:  
Beam:  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WDF4-KF**

Power:  
Beam:  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WDG2-AF**

Power:  
Beam:  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WDG3-AF**

Power:  
Beam:  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WI9-F24**

Power:24W  
Beam:Spot/Flood  
Size(LxHxT):168x44x62mm  
(7 inch)  
Number per ctn:40  
Ctn size:34.5x32x30.5cm



**WAZ4B-50**

Power:50W  
Beam:  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WDF4B**

Power:  
Beam:Spot  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WDF4F**

Al housing  
Power:  
Beam:Spot  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WDC1**

Power:  
Beam:Hi-Low beam  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WEC3**

Power:  
Beam:  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WDD9**

Power:  
Beam:  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WAZ4A-50**

Power:50W  
Beam:  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WAA7A-10**

Power:10W  
Beam:Spot/Flood  
Size(LxHxT):53x80x53mm  
(2 inch)  
Number per ctn:100  
Ctn size:43.5x33x38.5cm



**WDB9AS**

Power:  
Beam:Hi-Low beam  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WDD8**

Power:  
Beam:  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WDF4D**

Power:  
Beam:Spot(7 color)  
Size(LxHxT):3 inch  
Number per ctn:  
Ctn size:



**WDF4E**

Power:  
Beam:Spot  
Size(LxHxT):3 inch  
Number per ctn:  
Ctn size:



### **WDF4G**

Plastic housing  
Power:  
Beam:Spot  
Size(LxHxT):  
Number per ctn:  
Ctn size:



### **WDF4HA**

Power:  
Beam:  
Size(LxHxT):  
Number per ctn:  
Ctn size:



### **WDF4HB**

Power:  
Beam:Spot  
Size(LxHxT):3 inch  
Number per ctn:  
Ctn size:



### **WDF4HC**

Power:  
Beam:Spot  
Size(LxHxT):3 inch  
Number per ctn:  
Ctn size:



### **WDF4L**

Power:  
Beam:Spot  
Size(LxHxT):3 inch  
Number per ctn:  
Ctn size:



### **WDF9A**

Power:  
Beam:  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WDE0C-30**

Power:30W  
Beam:Red,Blue  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WDE0-30**

Power:30W  
Beam:Red,Blue  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WDI4-AF**

Power:  
Beam:Red,Blue(Spot)  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WDI4-BF**

Power:  
Beam:Red,Blue(Arrow)  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WDI5-F**

Power:  
Beam:  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WDI6-F**

Power:  
Beam:Red,Blue  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WDI8-BF**

Power:  
Beam:Red,Blue  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WDI8-F**

Power:  
Beam:Red,Blue  
Size(LxHxT):  
Number per ctn:  
Ctn size:





**WDI9-30**

Power:30W  
Beam:Red,Blue  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WEZ1-30**

Power:30W  
Beam:Red,Blue  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WEZ2-30**

Power:30W  
Beam:Red,Blue  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WEZ7-30**

Power:30W  
Beam:Red,Blue(Arrow)  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WZ7-30-7G**

Power:30W  
Beam:Red,Blud  
Size(LxHxT):158x46x62mm  
(6 inch)  
Number per ctn:50  
Ctn size:35.5x27x40cm



**WZ7-30-30G**

Power:30W  
Beam:Red,Blud  
Size(LxHxT):158x46x62mm  
(6 inch)  
Number per ctn:50  
Ctn size:35.5x27x40cm



**WZ7-30-31G**

Power:30W  
Beam:Red,Blud  
Size(LxHxT):158x46x62mm  
(6 inch)  
Number per ctn:50  
Ctn size:35.5x27x40cm



**WDE0B-30**

Power:30W  
Beam:Red,Blue(Arrow)  
Size(LxHxT):  
Number per ctn:  
Ctn size:




**WF8-20**

Power:20W  
Beam:Red,Blue(Spot beam)  
Size(LxHxT):138x125x87mm  
(5.5 inch)  
Number per ctn:12  
Ctn size:34.5x32x26cm




**WEZ3-20**

Power:20W  
Beam:Red,Blue  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WEZ4-40**

Power:40W  
Beam:Red,Blue  
Size(LxHxT):  
Number per ctn:  
Ctn size:




**WEZ5-20**

Power:20W  
Beam:Red,Blue(Spot)  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WEZ6-10**

Power:10W  
Beam:Red,Blue(Spot)  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WEA0**

Power:  
Beam:Red,Blue  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WEA9**

Power:  
Beam:Red,Blue(Spot)  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WEB0**

Power:  
Beam:Red,Blue(Spot)  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WEB1**

Power:  
Beam:Red,Blue  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WDI7**

Power:  
Beam:Red,Blue  
Size(LxHxT):  
Number per ctn:  
Ctn size:





**WAZ1A-45**

Power:45W  
 Beam:Hi-low beam  
 Size(LxHxT):180x180x71mm  
 (7 inch)  
 Number per ctn:18  
 Ctn size:38.5x52.5x26cm



**WAZ1D-75**

Power:75W  
 Beam:Hi-low beam  
 Size(LxHxT):180x180x85mm  
 (7 inch)  
 Number per ctn:8  
 Ctn size:42x42x28cm



**WAC5-30**

Power:30W  
 Beam:Fog light  
 Size(LxHxT):125x100x85mm  
 (5 inch)  
 Number per ctn:8  
 Ctn size:34.5x32x28cm



**WAC5B-30**

Power:30W  
 Beam:Fog light  
 Size(LxHxT):125x100x85mm  
 (5 inch)  
 Number per ctn:8  
 Ctn size:34.5x32x28cm



**WAZ0A-60**

Power:60W  
 Beam:Hi-Low beam  
 Size(LxHxT):180x180x90mm  
 (7 inch)  
 Thick:90/71mm  
 Number per ctn:8  
 Ctn size:43x37.5x35.5cm



**WAZ0B-60**

Power:60W  
 Beam:Hi-Low beam  
 Size(LxHxT):180x180x90mm  
 (7 inch)  
 Thick:90/71mm  
 Number per ctn:8  
 Ctn size:43x37.5x35.5cm



**WAZ0C-40**

Power:40W  
 Beam:Hi-Low beam  
 Size(LxHxT):180x180x90mm  
 (7 inch)  
 Thick:90/71mm  
 Number per ctn:8  
 Ctn size:43x37.5x35.5cm



**WAD5-15**



Power:12W  
Beam:Spot/Flood  
Size(LxHxT):76x53x49mm  
(3 inch)  
Number per ctn:50  
Ctn size:34.5x32x26cm

**WAE2-25**



Power:25W  
Beam:Spot/Flood  
Size(LxHxT):  
Number per ctn:  
Ctn size:

**WDE5-F36**



Power:36W  
Beam:  
Size(LxHxT):4 inch  
Number per ctn:  
Ctn size:

**WDE6-F36**



Power:36W  
Beam:  
Size(LxHxT):4 inch  
Number per ctn:  
Ctn size:

**WAZ9-F48**



Power:48W  
Beam:Spot/Flood  
Size(LxHxT):137x150x66mm  
(5 inch)  
Number per ctn:16  
Ctn size:34.5x32x26cm

**WAA0-F45**



Power:45W  
Beam:Spot/Flood  
Size(LxHxT):99x76mm  
(4 inch)  
Thick:79/65mm  
Number per ctn:24  
Ctn size:34.5x32x28cm

**WAB8-F20**



Power:20W  
Beam:Spot/Flood  
Size(LxHxT):87x90x92mm  
Number per ctn:12  
Ctn size:

**WAC3-F**



Power:  
Beam:  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WAD3-60**

Power:60W  
Beam:Spot  
Size(LxHxT):124x134x50mm  
(5 inch)  
Number per ctn:16  
Ctn size:34.5x32x36cm



**WAD4-F10**

Power:10W  
Beam:Spot/Flood  
Size(LxHxT):76x53x49mm  
Number per ctn:50  
Ctn size:34.5x32x26mm



**WAD7-F15**

Power:15W  
Beam:Spot/Flood  
Size(LxHxT):  
Number per ctn:20  
Ctn size:11.4x20x10cm



**WAF1-12(Flash)**

Power:12W  
Beam:Spot/Flood  
Size(LxHxT):96x120x50mm  
(4 inch)  
Number per ctn:  
Ctn size:



**WAF2A-40**

Power:40W  
Beam:Spot  
Size(LxHxT):150x180x90mm  
(6 inch)  
Number per ctn:  
Ctn size:



**WAF4-F9**

Power:9W  
Beam:Spot  
Color:Red,Green,White  
Size(LxHxT):87x33x33mm  
(3 inch)  
Number per ctn:50  
Ctn size:34.5x32x26cm



**WAG0-120**

Power:120W  
Beam:Spot  
Size(LxHxT):170x168x50mm  
(7 inch)  
Number per ctn:12  
Ctn size:39.5x38x22cm



**WAI4A-75**

Power:75W  
Beam:Spot/Flood  
Size(LxHxT):225x250x270mm  
(9 inch)  
Number per ctn:10  
Ctn size:52x34x24.5cm



**WAI4B-114**

Power:114W  
Color:Red,Black,Purple  
Beam:Spot/Flood  
Size(LxHxT):224x250x270mm  
(9 inch)  
Number per ctn:10  
Ctn size:52x34x24.5cm



**WAI9-A40**

Power:40W  
Beam:  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WAI9B-40**

Power:40W  
Beam:Spot/Flood  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WBZ0B-36**

Power:36W  
Beam:Spot/Flood  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WBZ0-C48**

Power:48W  
Beam:  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WBZ0-D54**

Power:54W  
Beam:  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WBC7-F18**

Power:18W  
Beam:Spot/Flood  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WCZ0-24**

Power:24W  
Beam:Spot/Flood  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WCE0-100**

Power:100W  
Beam:Spot/Flood  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WDC7-123**

Power:123W  
Beam:Spot/Flood  
Size(LxHxT):4 inch  
Number per ctn:  
Ctn size:



**WDZ8-99**

Power:99W  
Beam:Spot/Flood  
Size(LxHxT):4 inch  
Number per ctn:  
Ctn size:



**WDA7A-126**

Power:126W  
Beam:Spot/Flood  
Size(LxHxT):4 inch  
Number per ctn:  
Ctn size:



**WDC0**

Power:  
Beam:Hi-Low beam  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WDC2-F**

Power:  
Beam:Hi-Low beam  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WDC5A-18**

Power:18W  
Beam:Spot  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WDC7-90**

Power:90W  
Beam:Hi-Low beam  
Size(LxHxT):7 inch  
Number per ctn:  
Ctn size:



**WDD0-60**

Power:60W  
Beam:  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WDE0A**

Power:  
Beam:  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WDH7-F**

Power:  
Beam:Spot/Flood  
Size(LxHxT):7 inch  
Number per ctn:  
Ctn size:



**WDH5-F**

Power:  
Beam:Spot/Flood  
Size(LxHxT):9 inch  
Number per ctn:  
Ctn size:



**WDG5-F7G**

Power:  
Beam:Spot/Flood  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WDZ6-144**

Power:144W  
Beam:Spot/Flood  
Size(LxHxT):4 inch  
Number per ctn:  
Ctn size:



**WDZ9-27**

Power:27W  
Beam:Spot/Flood  
Size(LxHxT):4 inch  
Number per ctn:  
Ctn size:



**WDA2-27**

Power:27W  
Beam:Spot/Flood  
Size(LxHxT):4 inch  
Number per ctn:  
Ctn size:



**WDA3-102**

Power:102W  
Beam:Spot/Flood  
Size(LxHxT):4 inch  
Number per ctn:  
Ctn size:



**WEB6-F**

Power:  
Beam:  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WZ9-F18**

Power:18W  
Beam:Spot/Flood  
Size(LxHxT):114x91x53mm  
(4 inch)  
Thick:46/47/53mm  
Number per ctn:20  
Ctn size:34.5x32x26cm



**WAE3-27**

Power:27W  
Beam:Spot/Flood  
Size(LxHxT):76x94x33mm  
(3 inch)  
Number per ctn:50  
Ctn size:34.5x32x26cm



**WAE5-27**

Power:27W  
Beam:Spot/Flood  
Size(LxHxT):152x57x53mm  
(6 inch)  
Number per ctn:50  
Ctn size:54.5x29.5x25.5cm



**WA7-F36**

Power:36W  
Beam:Spot/Flood  
Size(LxHxT):175x158x74mm  
(7 inch)  
Number per ctn:12  
Ctn size:37.5x30.5x29cm



**WA8-F3G-45**

Power:45W  
Beam:Spot/Flood  
Size(LxHxT):139x175mm  
(7 inch)  
Thick:90/60mm  
Number per ctn:16  
Ctn size:48x35x38.5



**WA9-F3G-60**

Power:60W  
Beam:Spot/Flood  
Size(LxHxT):180x210mm  
(7 inch)  
Thick:100/60mm  
Number per ctn:8  
Ctn size:53.5x43x35.5cm



**WB1-F90**

Power:90W  
Beam:Spot/Flood  
Size(LxHxT):135x170x123mm  
(5 inch)  
Number per ctn:8  
Ctn size:43x37.5x35.5cm



**WB2-F48**

Power:48W  
Beam:Spot/Flood  
Size(LxHxT):124x147mm  
(5 inch)  
Thick:58/90mm  
Number per ctn:12  
Ctn size:34.5x32x28cm



**WB3-40**

Power:40W  
Beam:Spot/Flood  
Size(LxHxT):124x147mm  
(5 inch)  
Thick:87/56mm  
Number per ctn:12  
Ctn size:34.5x32x28



**WB7-F42**

Power:27W  
Beam:Spot/Flood  
Size(LxHxT):117x138mm  
Thick:30/35/55/60/69/73mm  
Number per ctn:20  
Ctn size:34.5x32x26cm



**WB9-F48**

Power:48W  
Beam:Spot/Flood  
Size(LxHxT):108x138mm  
Thick:30/35/50/55/59  
/66/69mm  
Number per ctn:20  
Ctn size:34.5x32x26cm



**WC4-F45**

Power:45W  
Beam:Spot/Flood  
Size(LxHxT):160x178x76mm  
(7 inch)  
Number per ctn:12  
Ctn size:37.5x30.5x29cm



**WC8-F24**

Power:24W  
Beam:Spot/Flood  
Size(LxHxT):139X125mm  
(5 inch)  
Thick:45/61/65mm  
Number per ctn:20  
Ctn size:34.5x32x26cm



**WD1A-F45**

Power:45W  
Beam:Hi-Low beam  
Size(LxHxT):168x108x78mm  
(7 inch)  
Thick:78/70/45mm  
Number per ctn:12  
Ctn size:37.5x30.5x29cm



**WD6-F80**

Power:80w  
Beam:Spot/Flood  
Size(LxHxT):140x190x91mm  
(5 inch)  
Number per ctn:6  
Ctn size:37.5x31x21.5cm



**WF1-F50**

Power:50w  
Beam:Spot/Flood  
Size(LxHxT):125x136mm  
(5 inch)  
Thick:57/86mm  
Number per ctn:12  
Ctn size:34.5x32x26cm



**WAE6A-36**

Power:36W  
Beam:Spot/Flood  
Size(LxHxT):158x70x51mm  
(5 inch)  
Number per ctn:50  
Ctn size:34.5x32x34cm



**WAE6B-36**

Power:36W  
Beam:Spot/Flood  
Size(LxHxT):158x70x51mm  
(5 inch)  
Number per ctn:50  
Ctn size:34.5x32x34cm



**WAE8F-51**

Power:51W  
Beam:Spot/Flood  
Size(LxHxT):78x95x118mm  
Number per ctn:60  
Ctn size:57.5x27.5x47.5cm



**WAF2B-40**

Power:40W  
Beam:Spot  
Size(LxHxT):150x180x90mm  
(6 inch)  
Number per ctn:  
Ctn size:



**WAF2C-40**

Power:40W  
Beam:Spot  
Size(LxHxT):150x180x90mm  
(6 inch)  
Number per ctn:  
Ctn size:



**WAF9-54**

Power:54W  
Beam:Spot/Flood  
Size(LxHxT):  
Number per ctn:  
Ctn size:45x44x22cm



**WAG5-40**

Power:40w  
Beam:Spot/Flood  
Size(LxHxT):165x230x80mm  
(7 inch)  
Number per ctn:12  
Ctn size:58.5x52.5x26cm



**WAG7-18**

Power:18w  
Beam:Spot/Flood  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WAG7B-24**

Power:24W  
Beam:Spot/Flood  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WAH3-24**

Power:24W  
Beam:Spot/Flood  
Size(LxHxT):  
Number per ctn:20  
Ctn size:45x44x22cm



**WAH9-144**

Power:144W  
Beam:Spot/Flood  
Size(LxHxT):168x108x70mm  
(6 inch)  
Number per ctn:20  
Ctn size:37.5x30.5x29cm



**WBE0-27**

Power:27W  
Beam:Spot/Flood  
Size(LxHxT):77x97x46mm  
(3 inch)  
Number per ctn:  
Ctn size:



**WAI8A-40**

Power:40W  
Beam:Spot/Flood  
Size(LxHxT):130x145x155mm  
(5 inch)  
Number per ctn:16  
Ctn size:69.6x41.5x32cm



**WAI8B-40**

Power:40W  
Beam:Spot/Flood  
Size(LxHxT):130x145x155mm  
(5 inch)  
Number per ctn:16  
Ctn size:69.6x41.5x32cm



**WAI9C-40**

Power:40w  
 Beam:Spot/Flood  
 Size(LxHxT):  
 Number per ctn:  
 Ctn size:



**WBI1-21**

Power:21w  
 Beam:Spot/Flood  
 Size(LxHxT):  
 Number per ctn:  
 Ctn size:



**WBZ0A-40**

Power:24W  
 Beam:Spot/Flood  
 Size(LxHxT):  
 Number per ctn:  
 Ctn size:



**WBI6-18**

Power:18W  
 Beam:Spot/Flood  
 Size(LxHxT):  
 Number per ctn:  
 Ctn size:

**WBZ0D-60**

Power:60W  
 Beam:Spot/Flood  
 Size(LxHxT):  
 Number per ctn:  
 Ctn size:



**WCE4**

Power:  
 Beam:Flood  
 Size(LxHxT):  
 Number per ctn:  
 Ctn size:



**WDZ5-192**

Power:192W  
 Beam:Spot/Flood  
 Size(LxHxT):  
 Number per ctn:  
 Ctn size:



**WDA4-102**

Power:102W  
 Beam:Spot/Flood  
 Size(LxHxT):4 inch  
 Number per ctn:  
 Ctn size:



**WDA5-60**

Power:60w  
 Beam:Spot/Flood  
 Size(LxHxT):4 inch  
 Number per ctn:  
 Ctn size:



**WDA6-117**

Power:117w  
 Beam:Spot/Flood  
 Size(LxHxT):4 inch  
 Number per ctn:  
 Ctn size:



**WDA7B-126**

Power:126W  
 Beam:Spot/Flood  
 Size(LxHxT):4 inch  
 Number per ctn:  
 Ctn size:



**WDA9A-72**

Power:72W  
 Beam:Spot/Flood  
 Size(LxHxT):4 inch  
 Number per ctn:  
 Ctn size:



**WDA9B-72**

Power:72W  
 Beam:Spot/Flood  
 Size(LxHxT):4 inch  
 Number per ctn:  
 Ctn size:



**WDB0-114**

Power:114  
 Beam:Spot/Flood  
 Size(LxHxT):  
 Number per ctn:  
 Ctn size:



**WDB2-36-Flash**

Power:36W Flash  
 Beam:Spot/Flood  
 Size(LxHxT):4 inch  
 Number per ctn:  
 Ctn size:



**WDA4-48-Flash**

Power:48W Flash  
 Beam:Spot/Flood  
 Size(LxHxT):4 inch  
 Number per ctn:  
 Ctn size:



**WDB5-36-Flash**

Power:36w Flash  
Beam:Spot/Flood  
Size(LxHxT):4 inch  
Number per ctn:  
Ctn size:



**WDB6-36-Flash**

Power:36w Flash  
Beam:Spot/Flood  
Size(LxHxT):117x132x55mm  
(4 inch)  
Number per ctn:20  
Ctn size:34.5x32x26cm



**WDB7-48-Flash**

Power:48W Flash  
Beam:Spot/Flood  
Size(LxHxT):4 inch  
Number per ctn:  
Ctn size:



**WDC3-75**

Power:75W  
Beam:Spot/Flood  
Size(LxHxT):125x155x54mm  
(4 inch)  
Number per ctn:  
Ctn size:



**WDC5B-36**

Power:36W  
Beam:Spot/Flood  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WDC6B**

Power:  
Beam:Hi-Low beam  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WDC6-50**

Power:50W  
Beam:Hi-Low beam  
Size(LxHxT):5 inch  
Number per ctn:  
Ctn size:



**WDC8-72**

Power:72W  
Beam:Flood  
Size(LxHxT):4 inch  
Number per ctn:  
Ctn size:



**WDC9-72**

Power:72W  
Beam:Spot/Flood  
Size(LxHxT):4 inch  
Number per ctn:  
Ctn size:



**WDD1-54**

Power:54w  
Beam:Spot/Flood  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WDD3**

Power:  
Beam:Hi-Low beam  
Size(LxHxT):9 inch  
Number per ctn:  
Ctn size:



**WDD5-72**

Power:72W  
Beam:Spot/Flood  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WDG2A-30**

Power:30W  
Beam:  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WDF6-20**

Power:20  
Beam:Spot/Flood  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WDF7-40**

Power:40W  
Beam:Spot/Flood  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WDF8-40**

Power:40W  
Beam:Spot/Flood  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WDG2B-40**

Power:40W  
Beam:Spot/Flood  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WDG3A-30**

Power:30w  
Beam:Spot/Flood  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WDG4**

Power:  
Beam:Hi-Low beam  
Size(LxHxT):9 inch  
Number per ctn:  
Ctn size:



**WDG5-F4G**

Power:  
Beam:Spot/Flood  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WDG5-F5G**

Power:  
Beam:Spot/Flood  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WDH2**

Power:  
Beam:Spot/Flood  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WDH3**

Power:  
Beam:Spot/Flood  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WZ1-18**

Power:18W  
Beam:Spot/Flood  
Size(LxHxT):117x137x38mm  
Number per ctn:28  
Ctn size:34.5x32x26cm



**WZ2-15**

Power:15w  
Beam:Spot/Flood  
Size(LxHxT):108x140x38mm  
Number per ctn:28  
Ctn size:34.5x32x26cm



**WZ3-24**

Power:24W  
Beam:Spot/Flood  
Size(LxHxT):118x141x40mm  
Thick:42/45mm  
Number per ctn:28  
Ctn size:34.5x32x26cm



**WZ4-24**

Power:24W  
Beam:Spot/Flood  
Size(LxHxT):108X137X46mm  
Thick:40/45/47mm  
Number per ctn:28  
Ctn size:34.5x32x26cm



**WZ5-27**

Power:27W  
Beam:Spot/Flood  
Size(LxHxT):117x132x55mm  
Thick:27/32/37/50/52/55/59  
mm  
Number per ctn:20  
Ctn size:34.5x32x26cm



**WZ6-27**

Power:27W  
Beam:Spot/Flood  
Size(LxHxT):108x113x55mm  
Thick:27/32/37/50/52/55/59  
mm  
Number per ctn:20  
Ctn size:34.5x32x26cm



**WZ5-27GQ**

Power:27W  
Beam:Spot/Flood  
Size(LxHxT):117x132x55mm  
Thick:27/32/37/50/52/55/59  
mm  
Number per ctn:20  
Ctn size:34.5x32x26cm



**WZ6-27GQ**

Power:27W  
Beam:Spot/Flood  
Size(LxHxT):108x113x55mm  
Thick:27/32/37/50/52/55/59  
mm  
Number per ctn:20  
Ctn size:34.5x32x26cm



**WZ7-18**



Power:18W  
Beam:Spot/Flood  
Size(LxHxT):158x45mm  
Thick:32/39/46/56mm  
Number per ctn:40  
Ctn size:34.5x32x26cm



**WZ7-18-5G**

Power:18w  
Beam:Spot/Flood  
Size(LxHxT):110x33x32mm  
Number per ctn:60  
Ctn size:34.5x32x26cm

**WZ7B-18**



Power:18W  
Beam:Spot/Flood  
Size(LxHxT):194x60mm  
Thick:40/47mm  
Number per ctn:40  
Ctn size:42x28.5x29.5cm



**WZ7C-18**

Power:18W  
Beam:Spot/Flood  
Size(LxHxT):151X44X42mm  
Number per ctn:50  
Ctn size:35.5x27x40cm

**WZ7A-48**



Power:48W (Bi color)  
Beam:Spot/Flood  
Size(LxHxT):151x39x42mm  
Number per ctn:50  
Ctn size:35.5x27x40cm



**WZ7-30**

Power:30W (Bi color)  
Beam:Spot/Flood  
Size(LxHxT):151x39x42mm  
Number per ctn:50  
Ctn size:35.5x27x40cm

**WZ7-54-10G**



Power:54W  
Beam:Spot/Flood  
Size(LxHxT):152x46x39mm  
Number per ctn:50  
Ctn size:35.5x27x40cm



**WZ7B-54-10G**

Power:54W  
Beam:Spot/Flood  
Size(LxHxT):194x60x40mm  
Number per ctn:50  
Ctn size:35.5x27x40cm



### **WZ7-18-11G**



Power:18W  
Beam:Spot/Flood  
Size(LxHxT):  
Number per ctn:  
Ctn size:



### **WZ7-84-21G**

Power:84w  
Beam:Flood  
Size(LxHxT):  
Number per ctn:  
Ctn size:

### **WZ7-72**



Power:72W  
Beam:Spot/Flood  
Size(LxHxT):  
Number per ctn:  
Ctn size:



### **WZ7-72-Flash**

Power:72W(Bi color)  
Beam:Spot/Flood  
Size(LxHxT):  
Number per ctn:  
Ctn size:

### **WZ7-54-23G**



Power:54W  
Beam:Spot/Flood  
Size(LxHxT):151x39x42m  
Number per ctn:50  
Ctn size:35.5x27x40cm



### **WZ7-48-24G**

Power:48W  
Beam:Spot/Flood  
Size(LxHxT):158x46x39mm  
Number per ctn:40  
Ctn size:34.5x32x30.5cm

### **WZ7-18-29D**



Power:18W  
Beam:Spot/Flood  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WZ8-50**

Power:50W  
Beam:Spot/Flood  
Size(LxHxT):160x128x76mm  
Number per ctn:12  
Ctn size:37.5x30.5x29cm



**WZ9B-18**

Power:18w  
Beam:Spot/Flood  
Size(LxHxT):157x86x37mm  
Number per ctn:20  
Ctn size:34.5x32x26cm



**WZ9-20**

Power:20W  
Beam:Spot/Flood  
Size(LxHxT):114x91x53mm  
Thick:47/54mm  
Number per ctn:20  
Ctn size:34.5x32x26cm



**WZ9-09**

Power:9W  
Beam:Spot/Flood  
Size(LxHxT):114x91x47mm  
Number per ctn:20  
Ctn size:34.5x32x26cm



**WA0-15**

Power:15W  
Beam:Spot/Flood  
Size(LxHxT):145x45x70mm  
Number per ctn:40  
Ctn size:34.5x32x30.5cm




**WA1B-51**

Power:51W  
Beam:Spot/Flood  
Size(LxHxT):176x225x46mm  
(7inch)  
Number per ctn:8  
Ctn size:48x43.5x23.5cm



**WA1-51**

Power:51W  
Beam:Spot/Flood  
Size(LxHxT):176x225mm  
(7inch)  
Thick:34/60/67/88mm  
Number per ctn:8  
Ctn size:48x43.5x23.5cm



**WA1F**

Power:  
Beam:Hi-Low beam  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WA3-10**

Power:10W  
Beam:Spot  
Size(LxHxT):68X92X55mm  
(3 inch)  
Number per ctn:20  
Ctn size:34.5x32x26cm



**WA4-12**

Power:12W  
Beam:Spot/Flood  
Size(LxHxT):82x90mm(3 inch)  
Thick:52/64/73mm  
Number per ctn:30  
Ctn size:34.5x32x28cm



**WA4G-24**

Power:24W  
Beam:Spot/Flood  
Size(LxHxT): 3 inch  
Number per ctn:  
Ctn size:



**WA4GB-24**

Power:24W  
Beam:Spot/Flood  
Size(LxHxT):3 inch  
Number per ctn:  
Ctn size:



**WA4H-48**

Power:48W  
Beam:Spot/Flood  
Size(LxHxT):3 inch  
Thick:52/65mm  
Number per ctn:  
Ctn size:



**WA4HB-48**

Power:48W  
Beam:Spot/Flood  
Size(LxHxT):3 inch  
Thick:52/65mm  
Number per ctn:  
Ctn size:



**WA4B-12**

Power:12W  
Beam:Spot/Flood  
Size(LxHxT):122x90(5 inch)  
Thick:52/64/73mm  
Number per ctn:24  
Ctn size:34.5x32x28cm



**WA5-18**

Power:18W  
Beam:Spot/Flood  
Size(LxHxT):82x90mm(3 inch)  
Thick:50/65/75mm  
Number per ctn:30  
Ctn size:34.5x32x28cm



**WA5B-18**

Power:18w  
Beam:Spot/Flood  
Size(LxHxT):122x90mm  
(5 inch)  
Thick:50/65/75mm  
Number per ctn:24  
Ctn size:34.5x32x28cm



**WA6-27**

Power:27W  
Beam:Spot/Flood  
Size(LxHxT):167x148x73mm  
(7 inch)  
Number per ctn:12  
Ctn size:37.5x30.5x29cm



**WB0-60**

Power:60W  
Beam:Spot/Flood  
Size(LxHxT):135x170x123mm  
(5 inch)  
Thick:77/125mm  
Number per ctn:8  
Ctn size:43x37.5x35.5cm



**WB4-10**

Power:10W  
Beam:Spot/Flood  
Size(LxHxT):56X82X68mm  
(2 inch)  
Number per ctn:50  
Ctn size:34.5x32x26cm



**WB5-10**

Power:10W  
Beam:Spot/Flood  
Size(LxHxT):50X80X59mm  
(2 inch)  
Number per ctn:50  
Ctn size:34.5x32x26cm



**WB6-12**

Power:12W  
Beam:Spot/Flood  
Size(LxHxT):82x100mm  
(3 inch)  
Thick:72/65mm  
Number per ctn:30  
Ctn size:34.5x32x28cm



**WB8-42**

Power:20W  
Beam:Spot/Flood  
Size(LxHxT):117x138x55mm  
(4 inch)  
Number per ctn:20  
Ctn size:34.5x32x26cm



**WC0-40**

Power:40W  
Beam:Spot/Flood  
Size(LxHxT):108x138mm  
(4 inch)  
Thick:68/50mm  
Number per ctn:16  
Ctn size:34.5x32x26cm



**WC1-70**

Power:70w  
Beam:Spot/Flood  
Size(LxHxT):152x170x105mm  
(6 inch)  
Number per ctn:8  
Ctn size:43x37.5x35.5cm



**WC2-27**

Power:27W  
Beam:Spot/Flood  
Size(LxHxT): 117x132x40mm  
(4 inch)  
Number per ctn:20  
Ctn size:34.5x32x26cm



**WC3-33**

Power:33W  
Beam:Spot/Flood  
Size(LxHxT):160X128X76mm  
(7 inch)  
Number per ctn:12  
Ctn size:37.5x30.5x29cm



**WC5-45**

Power:45W  
Beam:Spot/Flood  
Size(LxHxT):165X127X83mm  
(7 inch)  
Number per ctn:30  
Ctn size:65.5x37.5x29cm



**WC7-9**

Power:9W  
Beam:Spot/Flood  
Size(LxHxT):90x121x56mm  
(3 inch)  
Number per ctn:50  
Ctn size:54.5x33x25.6cm



**WD4-24**

Power:24W(White,Orange)  
Beam:Spot,Flood  
Size(LxHxT):152x91x60mm  
(6 inch)  
Number per ctn:16  
Ctn size:34.5x32x26cm




**WC9-18**

Power:18w  
Beam:Spot/Flood  
Size(LxHxT):110x100x42mm  
(4 inch)  
Number per ctn:100  
Ctn size:57x25x54.5cm



**WD0-36**

Power:36W  
Beam:Hi-low beam  
Size(LxHxT): 145x153x80mm  
(6 inch)  
Number per ctn:12  
Ctn size:37.5x30.5x29cm



**WD1A-45-GQ**

Power:10W  
Beam:Spot  
Size(LxHxT):168X108mm  
(7 inch)  
Thick:45/70/78mm  
Number per ctn:12  
Ctn size:37.5x30x29cm



**WD1B-50**

Power:50W(White,Red,Blue)  
Beam:Spot/Flood  
Size(LxHxT):168X135X77mm  
(7 inch)  
Number per ctn:30  
Ctn size:65.5x37.5x29cm



**WD2-36**

Power:36W  
Beam:Spot/Flood  
Size(LxHxT):145x153x80mm  
(5 inch)  
Number per ctn:12  
Ctn size:37.5x30.5x29cm



**WD3-25**

Power:25W  
Beam:Spot/Flood  
Size(LxHxT):78X95X94mm  
(3 inch)  
Number per ctn:24  
Ctn size:34.5x32x28cm



**WD5-9**

Power:9W  
Beam:Spot/Flood  
Size(LxHxT):82X87X51mm  
(3 inch)  
Number per ctn:  
Ctn size:



**WD7-60**

Power:60w  
Beam:Spot/Flood  
Size(LxHxT):140x190x91mm  
(5 inch)  
Number per ctn:6  
Ctn size:37.5x31x21.5cm



**WD8-24**

Power:24W  
Beam:Spot/Flood  
Size(LxHxT):150x127x47mm  
(5x7 inch)  
Number per ctn:30  
Ctn size:58x32.5x19.5cm



**WD9-36**

Power:36W  
Beam:Spot  
Size(LxHxT):165X144X50mm  
(5x7 inch)  
Number per ctn:30  
Ctn size:44x37.7x34.5cm



**WE1-25**

Power:25W  
Beam:Spot/Flood  
Size(LxHxT):107x129x85mm  
(4 inch)  
Number per ctn:12  
Ctn size:



**WE2-72**

Power:72W  
Beam:Spot/Flood  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WE3-96**

Power:96W(Red,Black)  
Beam:Spot/Flood  
Size(LxHxT):225X250mm  
Thick:27/87mm  
Number per ctn:10  
Ctn size:52x34x24.5cm



**WE3-96-TG**

convex lens  
Power:96W(Red,Black)  
Beam:Spot/Flood  
Size(LxHxT):225X250mm  
Thick:27/87mm  
Number per ctn:10  
Ctn size:52x34x24.5cm



**WE3-160**

Power:160W(Red,Black)  
Beam:Spot/Flood  
Size(LxHxT):225X250mm  
Thick:27/87mm  
Number per ctn:10  
Ctn size:52x34x24.5cm



**WE4B-20**

Power:20w(Orange,White)  
Beam:Spot/Flood  
Size(LxHxT): 97x93x77mm  
(4 inch)  
Number per ctn:30  
Ctn size:34.5x32x28.5cm



**WE4-20**

Power:20W  
Beam:Spot/Flood  
Size(LxHxT): 97x93mm  
(4 inch)  
Thick:77/70mm  
Number per ctn:30  
Ctn size:34.5x32x28.5cm



**WE4C-20**

Power:20w  
Beam:Spot/Flood  
Size(LxHxT): 97x93x70mm  
(4 inch)  
Number per ctn:30  
Ctn size:34.5x32x28.5cm



**WE4D-15**

Power:15W  
Beam:Spot/Flood  
Size(LxHxT):97x93X69mm  
(4 inch)  
Number per ctn:30  
Ctn size:34.5x32x28cm



**WE5-21**

Power:21W  
Beam:Spot/Flood  
Size(LxHxT):114x156x62mm  
(4 inch)  
Number per ctn:40  
Ctn size:50x36x32cm



**WE6-12**

Power:12W  
Beam:Spot/Flood  
Size(LxHxT):92x120x52mm  
Number per ctn:50  
Ctn size:54.5x33x25.6cm



**WE7-40**

Power:20W  
Beam:Spot/Flood  
Size(LxHxT):148x123x68mm  
(5 inch)  
Number per ctn:12  
Ctn size:37.5x30.5x29cm



**WE8-60**

Power:60W  
Beam:Spot/Flood  
Size(LxHxT):180x143x88mm  
(5x7 inch)  
Number per ctn:12  
Ctn size:37.5x30.5x29cm



**WF5-185-TG**

Power:185W  
Beam:Spot/Flood  
Size(LxHxT):225X250X87mm  
(9 inch)  
Number per ctn:8  
Ctn size:48x43.5x23.5cm



**WE9-304**

Power:30W  
Beam:Spot/Flood  
Size(LxHxT): 118x148x114mm  
(5 inch)  
Number per ctn:12  
Ctn size:41x32x26cm



**WF0-21**

Power:21W  
Beam:Spot  
Size(LxHxT):111X128X65mm  
(4 inch)  
Number per ctn:20  
Ctn size:34.5x32x26cm



**WF2-63**

Power:63W(Red,Black)  
Beam:Spot/Flood  
Size(LxHxT):160x202mm  
(7 inch)  
Thick:68/58/33mm  
Number per ctn:8  
Ctn size:48x43.5x23.5cm



**WF3-40**

Power:40W  
Beam:Spot/Flood  
Size(LxHxT):140x170(5 inch)  
Thick:60/92mm  
Number per ctn:16  
Ctn size:48x35x38.5cm



**WF4-60**

Power:60W  
Beam:Spot/Flood  
Size(LxHxT):180X210mm  
(7 inch)  
Thick:60/90mm  
Number per ctn:8  
Ctn size:53.5x43x24.5cm



**WF5-185W**

Power:185W  
Beam:Spot/Flood  
Size(LxHxT):225X250X87mm  
(9 inch)  
Number per ctn:8  
Ctn size:48x43.5x23.5cm



**WF6-24**

Power:24w  
Beam:Spot/Flood  
Size(LxHxT):150x116mm  
(6 inch)  
Thick:70/100mm  
Number per ctn:30  
Ctn size:60x33.5x33cm



**WF7A-18**

Power:18W  
Beam:Spot/Flood  
Size(LxHxT):89x94x58mm  
(3.5 inch)  
Number per ctn:30  
Ctn size:34.5x32x28cm



**WF7B-18**

Power:18W  
Beam:Spot/Flood  
Size(LxHxT):123X94X55mm  
(5 inch)  
Number per ctn:20  
Ctn size:34.5x32x26cm



**WF7E-18**

Power:18W  
Beam:Spot/Flood  
Size(LxHxT):89x94x58mm  
(3.5 inch)  
Number per ctn:30  
Ctn size:34.5x32x28cm



**WF9-70**

Power:18W  
Beam:Spot/Flood  
Size(LxHxT):89x94x58mm  
(3.5 inch)  
Number per ctn:30  
Ctn size:34.5x32x28cm



### WG0-18

Power:18W  
Beam:Spot/Flood  
Size(LxHxT):111x100x52mm  
(4 inch)  
Number per ctn:50  
Ctn size:54.5x33x25.6cm



### WG1-36

Power:36w  
Beam:Spot/Flood  
Size(LxHxT):168x108x70mm  
(7 inch)  
Number per ctn:30  
Ctn size:65.5x37.5x29cm



### WG2-10

Power:10W  
Beam:Spot/Flood  
Size(LxHxT):  
Number per ctn:  
Ctn size:



### WG2-15

Power:15W  
Beam:Spot  
Size(LxHxT):  
Number per ctn:  
Ctn size:



### WGAA6-20

Power:20W  
Beam:Spot/Flood  
Size(LxHxT):  
Number per ctn:  
Ctn size:



### WGAA6-40

Power:40W  
Beam:Spot/Flood  
Size(LxHxT):  
Thick:  
Number per ctn:  
Ctn size:



### WG3-54

Power:54W  
Beam:Spot/Flood  
Size(LxHxT):180X210x57mm  
(7 inch)  
Number per ctn:8  
Ctn size:48x43.5x23.5cm



### WG3-90

Power:90W  
Beam:Spot/Flood  
Size(LxHxT):180X210x57mm  
(7 inch)  
Number per ctn:8  
Ctn size:48x43.5x23.5cm



**WG4-90**

Power:90W  
Beam:Spot/Flood  
Size(LxHxT):180x210x57mm  
(7 inch)  
Number per ctn:8  
Ctn size:48x43.5x23.5cm



**WG5A-45**

Power:45w  
Beam:Hi-low beam  
Size(LxHxT):200x140mm  
Thick:65/80mm  
Number per ctn:20  
Ctn size:48x35x38.5cm



**WG5B-45**

Power:45w  
Beam:Hi-low beam  
Size(LxHxT):200x140mm  
Thick:65/80mm  
Number per ctn:20  
Ctn size:48x35x38.5cm



**WG5C-45**

Power:45w  
Beam:Hi-low beam  
Size(LxHxT):200x140mm  
Thick:65/80mm  
Number per ctn:20  
Ctn size:48x35x38.5cm



**WG5F-45**

Power:45W  
Beam:Hi-low beam  
Size(LxHxT):200x140mm  
Thick:50/74mm  
Number per ctn:20  
Ctn size:48x35x38.5cm



**WG5D-39**

Power:39W  
Beam:Hi-low beam  
Size(LxHxT):200x140x77mm  
Number per ctn:20  
Ctn size:48x35x38.5cm



**WG5E-90**

Power:90W  
Beam:Hi-low beam  
Size(LxHxT):200x140x77mm  
Number per ctn:20  
Ctn size:48x35x38.5cm



**WAZ3-51 MINI**

Power:51W  
Beam:Spot/Flood  
Size(LxHxT):145x165x59mm  
(5 inch)  
Number per ctn:12  
Ctn size:34.5x32x28cm

:



**WAC8-114**

Power:114W  
Beam:Spot/Flood  
Size(LxHxT):160x128x76mm  
Number per ctn:12  
Ctn size:37.5x30.5x29cm



**WG6-45**

Power:45W  
Beam:Hi-low beam  
Size(LxHxT):168x108x70mm  
Number per ctn:12  
Ctn size:37.5x30.5x29cm



**WG7-65**

Power:65W  
Beam:Hi-low beam  
Size(LxHxT):200x140x74mm  
Number per ctn:20  
Ctn size:48x35x38.5cm



**WG8-18**

Power:18W  
Beam:Spot/Flood  
Size(LxHxT):90x110x48mm  
(3.5 inch)  
Number per ctn:120  
Ctn size:58x47x31.5cm



**WG9-24**

Power:24W  
Beam:Spot/Flood  
Size(LxHxT):90x114x48mm  
(3.5 inch)  
Number per ctn:120  
Ctn size:58x47x31.5cm



**WH0-225**

Power:225W  
Beam:Spot/Flood  
Size(LxHxT):225X250X87mm  
(9 inch)  
Number per ctn:8  
Ctn size:48x43.5x23.5cm



**WH1-27**

Power:27W  
Beam:Spot/Flood  
Size(LxHxT):104x134x60mm  
(4 inch)  
Number per ctn:40  
Ctn size:50x36x32cm



**WH2-24**

Power:20W  
Beam:Spot/Flood  
Size(LxHxT):142x98x54mm  
Number per ctn:20  
Ctn size:34.5x32x26cm



**WH3-45**

Power:45W  
Beam:Spot/Flood  
Size(LxHxT):168x134x74mm  
Number per ctn:30  
Ctn size:65.5x37.5x29cm



**WH3B-45**

Power:45W  
Beam:Spot/Flood  
Size(LxHxT):168x134x74mm  
Number per ctn:30  
Ctn size:65.5x37.5x29cm



**WH4-12**

Power:12W  
Beam:Spot/Flood  
Size(LxHxT): 76x78x48mm  
(3 inch)  
Number per ctn:50  
Ctn size:54.5x33x25.6cm



**WH5A-12**

Power:12W  
Beam:Spot/Flood  
Size(LxHxT):82x106x51mm  
(3 inch)  
Number per ctn:50  
Ctn size:54.5x33x25.6cm



**WH5B-12**

Power:12W  
Beam:Spot/Flood  
Size(LxHxT):82x106x51mm  
(3 inch)  
Number per ctn:50  
Ctn size:54.5x33x25.6cm



**WH6C-9**

Power:12W  
Beam:Spot/Flood  
Size(LxHxT):82x106x51mm  
(3 inch)  
Number per ctn:50  
Ctn size:54.5x33x25.6cm



**WH5D-12**

Power:12W  
Beam:Spot/Flood  
Size(LxHxT):82x106x51mm  
(3 inch)  
Number per ctn:50  
Ctn size:54.5x33x25.6cm



**WH6A-9**

Power:9W  
Beam:  
Size(LxHxT):82x106x51mm  
(3 inch)  
Number per ctn:50  
Ctn size:54.5x33x25.6cm



**WAC9-80**

Power:9W  
Beam:  
Size(LxHxT):82x106x51mm  
(3 inch)  
Number per ctn:50  
Ctn size:54.5x33x25.6cm



**WAZ5-12**

Power:12W  
Beam:Spot  
Size(LxHxT):66x93x47mm  
(3 inch)  
Number per ctn:50  
Ctn size:34.5x32x26cm



**WH7-15**

Power:15W  
Beam:Spot/Flood  
Size(LxHxT): 83x110x37mm  
(3 inch)  
Number per ctn:30  
Ctn size:34.5x32x28cm



**WH7-18**

Power:18W  
Beam:Spot/Flood  
Size(LxHxT): 83x110x37mm  
(3 inch)  
Number per ctn:30  
Ctn size:34.5x32x28cm



**WH7-24**

Power:24W  
Beam:Spot/Flood  
Size(LxHxT): 83x110x37mm  
(3 inch)  
Number per ctn:30  
Ctn size:34.5x32x28cm



**WH7-27**

Orange,clear lens choice  
Power:27W  
Beam:Spot/Flood  
Size(LxHxT): 83x110x37mm  
(3 inch)  
Number per ctn:30  
Ctn size:34.5x32x28cm



**WH8A-30**

Power:30W  
Beam:Spot/Flood  
Size(LxHxT):120x121x60mm  
(5 inch)  
Number per ctn:20  
Ctn size:34.5x32x26cm



**WH8B-30**

Power:30W  
Beam:Spot/Flood  
Size(LxHxT):120x121x60mm  
(5 inch)  
Number per ctn:20  
Ctn size:34.5x32x26cm



**WH9A-30**

Power:30W  
Beam:Spot/Flood  
Size(LxHxT):115x146x63mm  
(4 inch)  
Number per ctn:20  
Ctn size:34.5x32x26cm



**WH9B-30**

Power:30W  
Beam:Spot/Flood  
Size(LxHxT):115x146x63mm  
(4 inch)  
Number per ctn:20  
Ctn size:34.5x32x26cm



**WI0-45**

Power:45W  
Beam:Spot/Flood  
Size(LxHxT): 160x132x78mm  
(5 inch)  
Number per ctn:30  
Ctn size:65.5x37.5x29cm



**WI1A-63**

Power:63W  
Beam:Spot/Flood  
Size(LxHxT):222x148x66mm  
(9 inch)  
Number per ctn:12  
Ctn size:37.5x30.5x29cm



**WI1B-180**

Power:12W  
Beam:Hi-low beam  
Size(LxHxT):222x148x66mm  
(9 inch)  
Number per ctn:12  
Ctn size:37.5x30.5x29cm



**WI2-27**

Power:27W  
Beam:Spot/Flood  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WI3-30**

Power:30W  
Beam:Spot/Flood  
Size(LxHxT):85x96x103mm  
Number per ctn:24  
Ctn size:34.5x32x28cm



**WI4-18**

Power:18W  
Beam:  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WI5-24**

Power:24W  
Beam:Spot/Flood  
Size(LxHxT):  
Number per ctn:  
Ctn size:



**WI6-9**

Power:9w  
Beam:Spot/Flood  
Size(LxHxT):87x38x36mm  
(3.5inch)  
Number per ctn:50  
Ctn size:34.5x32x26cm



**WAB0-63**

Power:63W  
Beam:Spot/Flood  
Size(LxHxT):175x210x64mm  
(7 inch)  
Number per ctn:8  
Ctn size:48x43.5x23.5cm



**WAB7-80**

Power:80W  
Beam:Spot/Flood  
Size(LxHxT):134x146x66mm  
Number per ctn:12  
Ctn size:



**WAC3-36**

Power:36W  
Beam:Spot/Flood  
Size(LxHxT):125x100x85mm  
(5 inch)  
Number per ctn:12  
Ctn size:34.5x32x38cm



**WAC7-20**

Power:20W  
Beam:Spot/Flood  
Size(LxHxT):95x85x77mm  
(4 inch)  
Number per ctn:20  
Ctn size:45x44x22cm



**WAZ8-27**

Power:27W  
Beam:Spot/Flood  
Size(LxHxT):137x150x66mm  
Number per ctn:  
Ctn size:



**WAA1-36**

Power:36W  
Beam:Spot/Flood  
Size(LxHxT):153x103x48mm  
(6 inch)  
Number per ctn:60  
Ctn size:52x37x37cm